Automated Egg Grading and Packing System						
Code	Picture		Desription	Selling Price (Ex Vat)		
4500 - Automated Egg Grading and Packing System						
AEGPS 4500		Dimensions: Weight: Capacity: Infeed conveyor: Operator: Grades: Accuracy: Power:	2701mm (→) 3.882mm (‡), 1395mm(H) 250kg 4500 eggs/hour single row 4 4 5 +/- 1 gram 230Volt, 1-phase, 50Hz or 60Hz, 800 Watt			
	6000 - Automated Egg					
AEGPS 6000		Dimensions: Weight: Capacity: Infeed conveyor: Operator: Grades: Accuracy: Power:	2701mm (→), 3882mm (‡), 1395mm(H) 250kg 6000 eggs/hour single row 4 5 +/- 1 gram 230Volt, 1-phase, 50Hz or 60Hz, 800 Watt			
	8000 - Automated Egg	Grading and Packi	ing System			
AEGPS 8000		Dimensions: Weight: Capacity: Infeed conveyor: Operator: Grades: Accuracy: Power:	2701mm (→), 3582mm (‡), 1395mm(H) 250kg 8000 eggs/hour single row 4 5 +/- 1 gram 230Volt, 1-phase, 50Hz or 60Hz, 800 Watt			
	10 000 - Automated Eg	g Grading and Pack	king System			
AEGPS 10 000		Dimensions: Weight: Capacity: Infeed conveyor: Operator: Grades: Accuracy: Power:	2701mm (→), 3582mm (‡), 1395mm(H) 250kg 10 000 eggs/hour single row 4 5 +/- 1 gram 230Volt, 1-phase, 50Hz or 60Hz, 800 Watt			

Egg Grading / Sorting Machines							
Code	Code Picture Description						
		300 Eggs/Hour Egg Scale					
E\$100		Dimensions: Weight: Capacity: Operator: Grades: Accuracy: Power:	120mm (→), 120mm (‡), 120mm(H) 0.5kg 300 eggs/hour 1 5 +/- 1 gram 230Volt, 1-phase, 50Hz or 60Hz, 5W				
	750 Egg/H	our Egg Sorting Machine - (Budget M	achine)				
EGM750-8		Dimensions: Weight: Capacity: Infeed conveyor: Operator: Grades: Accuracy: Power:	700mm (→), 600mm (‡), 222mm(H) Skg 750 eggs:/hour single row 1 5 +/- 1 gram 230Volt, 1-phase, 30Hz or 60Hz, 5W <u>Optional Extra</u> 24V Battery Operation: R 2 314,00 Full Solar Operation: R 4 985,00				
		750 Egg/Hour Egg Sorting Machine					
EGM750		Dimensions: Weight: Capacity: Infeed conveyor: Candling: Operator: Grades: Accuracy: Power:	488mm (→), 753mm (‡), 222mm(H) 25 kg 750 eggs/hour single row 1x15 Watth bulbs 1 5 +/- 1 gram 230Volt, 1-phose, 50Hz or 60Hz, 60W Optional Exta 24V Battery Operation: R 2 314,00 Full Solar Operation: R 4 985,00				
	1	500 Egg/Hour Egg Sorting Machine					
EGM1500	200000000	Dimensions: Weight: Capacity: Infeed conveyor: Candling: Operator: Grades: Accuracy: Power:	1350mm (↔), 753mm (‡), 1200mm (H) 50 kg 1500 eggs/hour Two rows 1x15 Wath bubs 1 5 +/- 1 gram 230Volt, 1-phose, 50Hz or 60Hz, 60W Oplional Exta 24V Battery Operation: R 2 314,00 Full Solar Operation: R 4 985,00				
	3	8000 Egg/Hour Egg Sorting Machine	I				
EGM3000		Dimensions: Weight: Capacity: Infeed conveyor: Canding: Operator: Grades: Accuracy: Power:	1350mm (→), 753mm (‡), 1200mm (H) 50 kg 3000 eggs/hour Two rows 3x15 Watt bubs 1-2 5 to 7 (Dependent to order) +/- 1 gram 230Volt,1-phase, 50Hz or 60Hz, 60W Optional Extra 24V Battery Operation: R 2 314,00 Full Solar Operation: R 4 985,00				
	4500 Egg/Hour Egg Sorting Machine						
EGM4500		Dimensions: Weight: Capacity: Infeed conveyor: Candling: Operator: Grades: Accuracy: Power:	3500mm (+), 753mm (‡), 1200mm (†) 80 kg 4500 eggs/hour One row 3x15 Wart bulbs 2 5-/- 1 gram 230Volt, 1-phase, 50Hz or 60Hz, 100W Optional Extra 24V Battery Operation: R 5 483,00				
		5000 Egg/Hour Egg Sorting Machine					

EGM4000		Dimensions: Weight: Capacily: Infeat conveyor: Candling: Operator: Grades: Accuracy: Fower:	3500mm (+), 753mm (‡), 1200mm (†) 80 kg g 4000 eggs/hour One row 3x15 Watt bulbs 2 2 5 +/-1 gram 230Volt, 1-phase, 50Hz or 60Hz, 100W <u>Splonal Extra</u> 24V Battery Operation: R 2545,00 Full Solar Operation: R 5 483,00	
		8000 Egg/Hour Egg Sorting Machine		
EGM8000		Dimensions: Weight: Capacity: Infeed conveyor: Candling: Operator: Grades: Accuracy: Fower:	2400mm (+), 753mm (1), 1200mm (H) 80 kg 8000 eggs/hour One row 3x15 Watt bulbs 2 5 +/- 1 gram 230Volt, 1-phase, 50Hz or 60Hz, 100W Optional Extra 24V Battery Operation: R 5 483,00 Full Solar Operation: R 5 483,00	
		10 000 Egg/Hour Egg Sorting Machine		
EGM10000		Dimensions: Weight: Capacity: Infeed conveyor: Canding: Operator: Grades: Accuracy: Power:	2600mm (→), 753mm (‡), 1200mm (H) 80 kg 10000 eggs/hour One row 3x15 waft bubs 2 5,5 +/- 1 gram 230Volt, 1-phase, 50Hz or 60Hz, 100W Optional Extra 24V Battery Operation: R 5 483,00	
	E	gg Cleaning Machines	S	
Code	Picture		iption	Selling Price (Ex Vat)
ECM750		Dimensions: Weight: Capacity: Infeed conveyor: Operator: Power:	1500mm (→), 400mm (‡), 400mm (H) 35 kg 750 eggs/hour Single row 1 230Volt, 1-phase, 50Hz or 60Hz, 200W <u>Optional Extra</u> 24V Battery Operation: R 6 545,00 Full Solar Operation: R 9 483,00	
ECM1500		Dimensions: Weight: Capacity: Infeed conveyor: Operator: Power:	1500mm (→), 400mm (‡), 400mm (H) 35 kg 1500 eggs/hour Single row 1 230Volt, 1-phase, 50Hz or 60Hz, 200W <b>Optional Extra</b> 24V Battery Operation: R 6 545,00 Full Solar Operation: R 9 483,00	
ECM3000		Dimensions: Weight: Capacity: Infeed conveyor: Operator: Power:	1500mm (→), 400mm (‡), 400mm (H) 35 kg 3000 eggs/hour Single row 1 230Volt, 1-phase, 50Hz or 60Hz, 200W Optional Extra 24V Battery Operation: R 6 545,00 Full Solar Operation: R 9 483,00	
		Egg Lifting Machines		
Code Picture Description Selling Price (Ex Vat)				
ELM30		Dimensions: Weight: Capacity: Power:	600mm (⊷), 400mm (‡), 400mm (H) 35 kg 30 eggs 230Volt, 1-phase, 50Hz or 60Hz, 200W	

	Power Source: Heater Power: Capacity (Pack/Hour): Film Material:  utomatic Wrapping Machin  Power Source: Heater Power: Capacity (Pack/Hour): Max Sealing Size (L x W): Machine Size (L x W x H): Machine Weight: Film Material:  utomatic Wrapping Machine	220V / Single Phase / 50-60 Hz 1.5kW 400-600 POF, PVC  220V / Single Phase / 50-60 Hz 4.5kW 500-800 L: 380 x W: 380 x H:150 700 x 640 x 1120 168kg POF, PVC  e with tunnel next to the sealer	Selling Price (Ex Vat)			
Semi-Ad	Power Source: Heater Power: Capacity (Pack/Hour): Film Material:  utomatic Wrapping Machin  Power Source: Heater Power: Capacity (Pack/Hour): Max Sealing Size (L x W): Machine Size (L x W x H): Machine Size (L x W achine Size (L x W x H): Machine Meight: Film Material:  utomatic Wrapping Machine	220V / Single Phase / 50-60 Hz 1.5KW 400-600 POF, PVC   220V / Single Phase / 50-60 Hz 4.5KW 500-800 L: 380 x W: 380 x H:150 700 x 640 x 1120 168kg POF, PVC				
Semi-Ad	Heater Power: Capacity (Pack/Hour): Film Material:  Lutomatic Wrapping Machin  Power Source: Heater Power: Capacity (Pack/Hour): Max Sealing Size (L x W): Machine Size (L x W x H): Machine Size (L x W x H): Film Material:  Lutomatic Wrapping Machine  Lutomatic Wrapping Machine	1.5KW 400-600 POF, PVC  ne with tunnel under the sealer  220V / Single Phase / 50-60 Hz 4.5KW 500-800 L: 380 x W: 380 x H:150 700 x 640 x 1120 168kg POF, PVC				
Semi-Ad	Power Source: Heater Power: Capacity (Pack/Hour): Max Sealing Size (L x W): Machine Size (L x W x H): Machine Weight: Film Material:	220V / Single Phase / 50-60 Hz 4,5KW 500-800 L: 380 x W: 380 x H:150 700 x 640 x 1120 168kg POF, PVC				
	Heater Power: Capacity (Pack/Hour): Max Sealing Size (L x W): Machine Size (L x W x H): Machine Weight: Film Material:  utomatic Wrapping Machine	4.5KW 500-800 L: 380 x W: 380 x H:150 700 x 640 x 1120 168kg POF, PVC				
		e with tunnel next to the sealer				
1.000 to 1.0	Davier Carrier					
	Power Source: Heater Power: Capacity (Pack/Hour): Max Sealing Size (L x W): Machine Size (L x W x H): Machine Size (L x W x H): Film Material: Air Pressure (kg/cm^2):	220V / Single Phase / 50-60 Hz 2.2KW 1200 L: 550 x W: 450 3400 x 900 x 1580 530kg POF, PVC 5				
	Automatic Wrapp	ing Machine				
***************************************	Power Source: Heater Power: Capacity (Pack/min): Max Sealing Size (L x W): Machine Size (L x W x H): Machine Weight: Film Material: Air Pressure (kg/cm^2):	220V / Single Phase / 50-60 Hz 2.2KW 30 L: 550 x W: 450 3400 x 900 x 1580 530kg POF, PVC 5				
Wrapping Material						
	Shrink Film For Wrapper POF film	450mm x 1000m Long				
	Stretch Wrap	400mm x 400m Long				
		Heater Power: Capacity (Pack/min): Max Sealing Size (L x W): Machine Size (L x W x H): Machine Size (L x W x H): Machine Weight: Film Material: Air Pressure (kg/cm^2):  Wrapping A  Shrink Film For Wrapper POF film	Heater Power: Capacity (Pack/min): Max Sealing Size (L x W): Machine Size (L x W x H): Machine Weight: Film Material: Air Pressure (kg/cm^2):  Wrapping Material  Shrink Film For Wrapper POF film  450mm x 1000m Long			

ROLL OUT NEST BOXES						
Code	Picture		Desription	Selling Price (Ex Vat)		
Roll out nest box						
CNB45		Dimensions: Weight: Hen capacity: Material:	533x609mm (↔), 482mm (‡) 4kg 25-40 Hens Galvinised sheeting & wire mesh Easy & efficcient egg collection. No extra parts needed. The nest box comes complete with wall mount brackets and can be closed when needed.			
		Roll out nes	t box			
CNB90		Dimensions: Weight: Hen capacity: Material:	533x1219mm (↔), 482mm (‡) 6kg 45-75 Hens Galvinised sheeting & wire mesh Easy & efficcient egg collection. No extra parts needed. The nest box comes complete with wall mount brackets and can be closed when needed.			
		Roll out nes	t box			
CNB125		Dimensions: Weight: Hen capacity: Material:	533x1560mm (↔), 482mm (‡) 8kg 125-135 Hens Galvinised sheeting & wire mesh Easy & efficcient egg collection. No extra parts needed. The nest box comes complete with wall mount brackets and can be closed when needed.			
		Roll out nes	t box			
CNB250		Dimensions: Weight: Hen capacity: Material:	533x1560mm (↔), 1118mm (‡) 16kg 200-250 Hens Galvinised sheeting & wire mesh Easy & effiecient egg collection. No extra parts needed. The nest box comes complete with wall mount brackets and can be closed when needed.			
	,		•			

	Chicken Laying Cages					
Code	Desription	Selling Price (Ex Vat)				
	3 TIER LAYING CAGE					
	All prices includes:  • Nipple Drinkers /Feeding trays  • Header Tank with float valve / Manure Reflector  • 3.15mm Galvanized Wire Product					
3T120	<b>120 Layer unit</b> (1.9m Long x 2m Wide x 2.1m Height)					
3T240	<b>240 Layer unit</b> (3.8m Long x 2m Wide x 2.1m Height)					
3T360	<b>360 Layer unit</b> (5.7m Long x 2m Wide x 2.1m Height)					
3T480	480 Layer unit (7.6m Long x 2m Wide x 2.1m Height)					
3T600	600 Layer unit  (9.5m Long x 2m Wide x 2.1m Height)					
3T720	720 Layer unit  (11.4m Long x 2m Wide x 2.1m Height)					
3T840	840 Layer unit  (13.3m Long x 2m Wide x 2.1m Height)					
3T960	960 tayer unit					
3T1080	(15,2m Long x 2m Wide x 2.1m Height)  1080 Layer unit					
	(17.1m Long x 2m Wide x 2.1m Height)  1200 Layer unit					
3T1200	(19m Long x 2m Wide x 2.1m Height)					

Egg Trays					
Code	Desription	Units Per Bundle	Selling Price (Ex Vat)		
AS / A6 AH AFE AHP AHL 18TCT 18TCP 18TCL	2x6 HP Superview / Super6 2x6 Flat Top 2x6 Farm Eggs - Printed (M L XL J) Flat Top 2x6 Custom Printed Flat Top 2x6 Custom Labelled 18 Tray Ctam 18 Flat Top Custom Printed 18 Flat Top Custom Labelled	150 160 170 160 160 100 100			
	Egg Trays (ope	n)			
AFRI ECOT GT EUT 24T 18T	30 Tray Afri (High Pillar) 30 Tray Eco 30 Tray Guardian (for Jumbo Eggs) 30 Tray Euro 24 Tray 18 Tray-Single 15 Tray-Single	150 170 130 140 130 150 280			
Toppads (tops)					
1011 0	eggs				
CPST CPP	5 Doz Generic Printed Clip-In: White 5 Doz Generic Printed Clip-In (tick boxes for size)	50 50			
	Carry Pack Boxes (12 Eggs)				
CP12	Carrypack Box - /x 12-egg Brown Plain	50			
Cardboard Boxes & Egg Pads (squares)					
DC30	30 Dozen Box (capacity: 12 x 30-egg trays)	20			
DC15 SQ	15 Dozen Box (capacity: 6 x 30-egg-trays)  Squares / Egg Pads 30cm x 30cm	20 50			
	adamsty agg , ada docini x docini	33	ı		

Egg Trays, Egg Crates & Trolleys						
Code	e Picture Desription			Selling Price (Ex Vat)		
		Plastic egg trays				
		Dimensions: Weight: Storage capacity:	300x300mm (↔), 55mm (‡) 130 g 30 eggs  The vented Egg Tray is lightweight and			
ET30			available in the following colors: Red Yellow Green Blue White			
		Plastic egg crate				
		Dimensions: Weight:	320x640mm (↔), 345mm (‡)			
EC		Storage copocity:	3.3 kg 12 egg froys The egg crate is made from durable H.D.P. E. and is suitable for conveyor belts. Crates are stackable 8 high.			
		Plastic egg crate open				
	The Arms and the State of the Arms and the State of the S	Dimensions: Weight:	320x640mm (↔), 345mm (‡) 1,2 kg			
ECO		Storage capacity:	12 egg trays  The egg crate is mode from durable H.D.P. E. and is suitable for conveyor belts. Crates are stackable 8 high. The crate can be inserted into each other.			
		Egg crate lifting frame				
ECLF		Dimensions: Weight: Storage capacity:	220x540mm (++), 345mm (‡)  1 kg 12 egg trays  The open egg crate frame is bolled to the floor. When placing the egg crates on the frame, if liffs the egg trays out of the tray so the trays can easily be unpacked.			
Carton AFRI Tray (30)						
CT30		Carton Egg Tray - Holds 30 Eggs	Carton Egg Tray Bundle - <b>150 Trays</b>			
Toppad Bubble (30)						
TP30		Carton Egg Tray Toppad - Covers 30 Eggs	Carton Egg Tray Toppad Bundle - <b>300 Toppad</b> s			
		30 Dozen Boxes				
DB30	30 DOZEN EGGS NEE REFERENCE	30 Dozen Boxes - Holds 12 Trays	30 Dozen Boxes Bundle - <b>20 Boxes</b> 960x920mm (↔), 15mm (‡) 10 kg			
		Egg Tray Trolley				
EΠ		Dimensions: Weight: Storage capacity:	670x970mm (→), 1760mm (‡) 10 kg 360 Doezen eggs 4x Swivel wheels for easy movement. Electroplated steel trolley.			